## **WORLD HANDICAP SYSTEM**



# COURSE HANDICAP CHARTS

#### SOUTHERN CALIFORNIA GOLF ASSOC

Blacklake Golf Resort - Lakes/Canyon



Men's - Black

Course Rating™: 71.4 Slope Rating®: 123 - Par: 72

Men's - White	
Course Rating™: 69.7 Slope Rating®: 119 - Par: 72	2

Men's - Red
Course Rating™: 67.5 Slope Rating®: 114 - Par: 72

Slope Rating®: 114 - Par: 72			
Handicap	Course	Handicap	Course
Index®	Handicap™	Index®	Handicap™
+5.0 to +5.0	+10	23.8 to 24.7	20
+4.9 to +4.0	+9	24.8 to 25.7	21
+3.9 to +3.0	+8	25.8 to 26.7	22
+2.9 to +2.0	+7	26.8 to 27.7	23
+1.9 to +1.0	+6	27.8 to 28.7	24
+0.9 to +0.1	+5	28.8 to 29.7	25
0.0 to 0.9	+4	29.8 to 30.7	26
1.0 to 1.9	+3	30.8 to 31.7	27
2.0 to 2.9	+2	31.8 to 32.7	28
3.0 to 3.9	+1	32.8 to 33.7	29
4.0 to 4.9	<u> </u>	33.8 to 34.6	30
5.0 to 5.9 6.0 to 6.9	2	34.7 to 35.6 35.7 to 36.6	31 32
	3		33
7.0 to 7.9 8.0 to 8.9	4	36.7 to 37.6 37.7 to 38.6	34
9.0 to 9.9	5	38.7 to 39.6	35
10.0 to 10.9	6	39.7 to 40.6	36
11.0 to 11.8	7	40.7 to 41.6	37
11.9 to 12.8	8	41.7 to 42.6	38
12.9 to 13.8	9	42.7 to 43.6	39
13.9 to 14.8	10	43.7 to 44.6	40
14.9 to 15.8	11	44.7 to 45.5	41
15.9 to 16.8	12	45.6 to 46.5	42
16.9 to 17.8	13	46.6 to 47.5	43
17.9 to 18.8	14	47.6 to 48.5	44
18.9 to 19.8	15	48.6 to 49.5	45
19.9 to 20.8	16	49.6 to 50.5	46
20.9 to 21.8	17	50.6 to 51.5	47
21.9 to 22.7	18	51.6 to 52.5	48
22.8 to 23.7	19	52.6 to 53.5	49
		53.6 to 54.0	50

Men's - Gold/Red
Course Rating™: 65.8
Slope Rating®: 111 - Par: 72

Slope Rating®: 111 - Par: 72			
Handicap	Course	Handicap	Course
Index®	Handicap™	Index®	Handicap™
+5.0 to +4.4	+11	24.2 to 25.1	18
+4.3 to +3.4	+10	25.2 to 26.1	19
+3.3 to +2.4	+9	26.2 to 27.1	20
+2.3 to +1.4	+8	27.2 to 28.1	21
+1.3 to +0.4	+7	28.2 to 29.2	22
+0.3 to 0.7	+6	29.3 to 30.2	23
0.8 to 1.7	+5	30.3 to 31.2	24
1.8 to 2.7	+4	31.3 to 32.2	25
2.8 to 3.7	+3	32.3 to 33.2	26
3.8 to 4.7	+2	33.3 to 34.3	27
4.8 to 5.8	+1	34.4 to 35.3	28
5.9 to 6.8	0	35.4 to 36.3	29
6.9 to 7.8	1	36.4 to 37.3	30
7.9 to 8.8	2	37.4 to 38.3	31
8.9 to 9.8	3	38.4 to 39.3	32
9.9 to 10.8	4	39.4 to 40.4	33
10.9 to 11.9	5	40.5 to 41.4	34
12.0 to 12.9	6	41.5 to 42.4	35
13.0 to 13.9	7	42.5 to 43.4	36
14.0 to 14.9	8	43.5 to 44.4	37
15.0 to 15.9	9	44.5 to 45.5	38
16.0 to 17.0	10	45.6 to 46.5	39
17.1 to 18.0	11	46.6 to 47.5	40
18.1 to 19.0	12	47.6 to 48.5	41
19.1 to 20.0	13	48.6 to 49.5	42
20.1 to 21.0	14	49.6 to 50.5	43
21.1 to 22.0	15	50.6 to 51.6	44
22.1 to 23.1	16	51.7 to 52.6	45
23.2 to 24.1	17	52.7 to 53.6	46
		53.7 to 54.0	47
<u> </u>			
<u> </u>			

Handicap	Course	Handicap	Course
Index®	Handicap™	Index®	Handicap™
+5.0 to +4.6	+6	24.0 to 24.8	26
+4.5 to +3.6	+5	24.9 to 25.8	27
+3.5 to +2.7	+4	25.9 to 26.7	28
+2.6 to +1.8	+3	26.8 to 27.6	29
+1.7 to +0.9	+2	27.7 to 28.5	30
+0.8 to 0.0	+1	28.6 to 29.4	31
0.1 to 1.0	0	29.5 to 30.4	32
1.1 to 1.9	1	30.5 to 31.3	33
2.0 to 2.8	2	31.4 to 32.2	34
2.9 to 3.7	3	32.3 to 33.1	35
3.8 to 4.6	4	33.2 to 34.0	36
4.7 to 5.6	5	34.1 to 35.0	37
5.7 to 6.5	6	35.1 to 35.9	38
6.6 to 7.4	7	36.0 to 36.8	39
7.5 to 8.3	8	36.9 to 37.7	40
8.4 to 9.2	9	37.8 to 38.6	41
9.3 to 10.1	10	38.7 to 39.5	42
10.2 to 11.1	11	39.6 to 40.5	43
11.2 to 12.0	12	40.6 to 41.4	44
12.1 to 12.9	13	41.5 to 42.3	45
13.0 to 13.8	14	42.4 to 43.2	46
13.9 to 14.7	15	43.3 to 44.1	47
14.8 to 15.7	16	44.2 to 45.1	48
15.8 to 16.6	17	45.2 to 46.0	49
16.7 to 17.5	18	46.1 to 46.9	50
17.6 to 18.4	19	47.0 to 47.8	51
18.5 to 19.3	20	47.9 to 48.7	52
19.4 to 20.3	21	48.8 to 49.7	53
20.4 to 21.2	22	49.8 to 50.6	54
21.3 to 22.1	23	50.7 to 51.5	55
22.2 to 23.0	24	51.6 to 52.4	56
23.1 to 23.9	25	52.5 to 53.3	57
		53.4 to 54.0	58

Handicap Index® Handicap™				
Index®         Handicap™         Index®         Handicap™           +5.0 to +5.0         +8         24.5 to 25.4         24           +4.9 to +4.0         +7         25.5 to 26.3         25           +3.9 to +3.1         +6         26.4 to 27.3         26           +3.0 to +2.1         +5         27.4 to 28.2         27           +2.0 to +1.2         +4         28.3 to 29.2         28           +1.1 to +0.2         +3         29.3 to 30.1         29           +0.1 to 0.7         +2         30.2 to 31.1         30           0.8 to 1.7         +1         31.2 to 32.0         31           1.8 to 2.6         0         32.1 to 33.0         32           2.7 to 3.6         1         33.1 to 33.9         33           3.7 to 4.5         2         34.0 to 34.9         34           4.6 to 5.5         3         35.0 to 35.8         35           5.6 to 6.4         4         35.9 to 36.8         36           6.5 to 7.4         5         36.9 to 37.7         37           7.5 to 8.3         6         37.8 to 38.7         38           8.4 to 9.3         7         38.8 to 39.6         39           9.4 to 10.2	Handicap	Course	Handicap	Course
+5.0       to       +8       24.5       to       25.4       24         +4.9       to       +4.0       +7       25.5       to       26.3       25         +3.9       to       +3.1       +6       26.4       to       27.3       26         +3.0       to       +2.1       +5       27.4       to       28.2       27         +2.0       to       +1.2       +4       28.3       to       29.2       28         +1.1       to       +0.2       +3       29.3       to       30.1       29         +0.1       to       0.7       +2       30.2       to       31.1       30         0.8       to       1.7       +1       31.2       to       32.0       31         1.8       to       2.6       0       32.1       to       33.0       32         2.7       to       3.6       1       33.1       to       33.9       33         3.7       to       4.5       2       34.0       to       34.9       34         4.6       to       5.5       3       35.0       to       35.8       35 <t< td=""><td></td><td></td><td></td><td></td></t<>				
+4.9 to +4.0       +7       25.5 to 26.3       25         +3.9 to +3.1       +6       26.4 to 27.3       26         +3.0 to +2.1       +5       27.4 to 28.2       27         +2.0 to +1.2       +4       28.3 to 29.2       28         +1.1 to +0.2       +3       29.3 to 30.1       29         +0.1 to 0.7       +2       30.2 to 31.1       30         0.8 to 1.7       +1       31.2 to 32.0       31         1.8 to 2.6       0       32.1 to 33.0       32         2.7 to 3.6       1       33.1 to 33.9       33         3.7 to 4.5       2       34.0 to 34.9       34         4.6 to 5.5       3       35.0 to 35.8       35         5.6 to 6.4       4       35.9 to 36.8       36         6.5 to 7.4       5       36.9 to 37.7       37         7.5 to 8.3       6       37.8 to 38.7       38         8.4 to 9.3       7       38.8 to 39.6       39         9.4 to 10.2       8       39.7 to 40.6       40         10.3 to 11.2       9       40.7 to 41.5       41         11.3 to 12.1       10       41.6 to 42.5       42         12.2 to 13.1       11       4	+5.0 to +5.0		24.5 to 25.4	
+3.9 to +3.1				
+3.0 to +2.1       +5       27.4 to 28.2       27         +2.0 to +1.2       +4       28.3 to 29.2       28         +1.1 to +0.2       +3       29.3 to 30.1       29         +0.1 to 0.7       +2       30.2 to 31.1       30         0.8 to 1.7       +1       31.2 to 32.0       31         1.8 to 2.6       0       32.1 to 33.0       32         2.7 to 3.6       1       33.1 to 33.9       33         3.7 to 4.5       2       34.0 to 34.9       34         4.6 to 5.5       3       35.0 to 35.8       35         5.6 to 6.4       4       35.9 to 36.8       36         6.5 to 7.4       5       36.9 to 37.7       37         7.5 to 8.3       6       37.8 to 38.7       38         8.4 to 9.3       7       38.8 to 39.6       39         9.4 to 10.2       8       39.7 to 40.6       40         10.3 to 11.2       9       40.7 to 41.5       41         11.3 to 12.1       10       41.6 to 42.5       42         12.2 to 13.1       11       42.6 to 43.4       43         13.2 to 14.0       12       43.5 to 44.4       44         44.5 to 45.3       45		•		
+2.0 to +1.2       +4       28.3 to 29.2       28         +1.1 to +0.2       +3       29.3 to 30.1       29         +0.1 to 0.7       +2       30.2 to 31.1       30         0.8 to 1.7       +1       31.2 to 32.0       31         1.8 to 2.6       0       32.1 to 33.0       32         2.7 to 3.6       1       33.1 to 33.9       33         3.7 to 4.5       2       34.0 to 34.9       34         4.6 to 5.5       3       35.0 to 35.8       35         5.6 to 6.4       4       35.9 to 36.8       36         6.5 to 7.4       5       36.9 to 37.7       37         7.5 to 8.3       6       37.8 to 38.7       38         8.4 to 9.3       7       38.8 to 39.6       39         9.4 to 10.2       8       39.7 to 40.6       40         10.3 to 11.2       9       40.7 to 41.5       41         11.3 to 12.1       10       41.6 to 42.5       42         12.2 to 13.1       11       42.6 to 43.4       43         13.2 to 14.0       12       43.5 to 44.4       44         14.1 to 15.0       13       44.5 to 46.3       46         16.0 to 16.9       15       4		-		
+1.1 to +0.2				
+0.1 to 0.7       +2       30.2 to 31.1       30         0.8 to 1.7       +1       31.2 to 32.0       31         1.8 to 2.6       0       32.1 to 33.0       32         2.7 to 3.6       1       33.1 to 33.9       33         3.7 to 4.5       2       34.0 to 34.9       34         4.6 to 5.5       3       35.0 to 35.8       35         5.6 to 6.4       4       35.9 to 36.8       36         6.5 to 7.4       5       36.9 to 37.7       37         7.5 to 8.3       6       37.8 to 38.7       38         8.4 to 9.3       7       38.8 to 39.6       39         9.4 to 10.2       8       39.7 to 40.6       40         10.3 to 11.2       9       40.7 to 41.5       41         11.3 to 12.1       10       41.6 to 42.5       42         12.2 to 13.1       11       42.6 to 43.4       43         13.2 to 14.0       12       43.5 to 44.4       44         14.1 to 15.0       13       44.5 to 45.3       45         15.1 to 15.9       14       45.4 to 46.3       46         16.0 to 16.9       15       46.4 to 47.2       47         17.0 to 17.8       16       4		•		
0.8 to 1.7         +1         31.2 to 32.0         31           1.8 to 2.6         0         32.1 to 33.0         32           2.7 to 3.6         1         33.1 to 33.9         33           3.7 to 4.5         2         34.0 to 34.9         34           4.6 to 5.5         3         35.0 to 35.8         35           5.6 to 6.4         4         35.9 to 36.8         36           6.5 to 7.4         5         36.9 to 37.7         37           7.5 to 8.3         6         37.8 to 38.7         38           8.4 to 9.3         7         38.8 to 39.6         39           9.4 to 10.2         8         39.7 to 40.6         40           10.3 to 11.2         9         40.7 to 41.5         41           11.3 to 12.1         10         41.6 to 42.5         42           12.2 to 13.1         11         42.6 to 43.4         43           13.2 to 14.0         12         43.5 to 44.4         44           14.1 to 15.0         13         44.5 to 45.3         45           15.1 to 15.9         14         45.4 to 46.3         46           16.0 to 16.9         15         46.4 to 47.2         47           17.0 to 17.8 <td< td=""><td></td><td></td><td></td><td>_</td></td<>				_
1.8 to 2.6       0       32.1 to 33.0       32         2.7 to 3.6       1       33.1 to 33.9       33         3.7 to 4.5       2       34.0 to 34.9       34         4.6 to 5.5       3       35.0 to 35.8       35         5.6 to 6.4       4       35.9 to 36.8       36         6.5 to 7.4       5       36.9 to 37.7       37         7.5 to 8.3       6       37.8 to 38.7       38         8.4 to 9.3       7       38.8 to 39.6       39         9.4 to 10.2       8       39.7 to 40.6       40         10.3 to 11.2       9       40.7 to 41.5       41         11.3 to 12.1       10       41.6 to 42.5       42         12.2 to 13.1       11       42.6 to 43.4       43         13.2 to 14.0       12       43.5 to 44.4       44         14.1 to 15.0       13       44.5 to 45.3       45         15.1 to 15.9       14       45.4 to 46.3       46         16.0 to 16.9       15       46.4 to 47.2       47         17.0 to 17.8       16       47.3 to 48.2       48         17.9 to 18.8       17       48.3 to 49.1       49         18.9 to 20.7       19 <t< td=""><td></td><td></td><td></td><td></td></t<>				
2.7 to 3.6       1       33.1 to 33.9       33         3.7 to 4.5       2       34.0 to 34.9       34         4.6 to 5.5       3       35.0 to 35.8       35         5.6 to 6.4       4       35.9 to 36.8       36         6.5 to 7.4       5       36.9 to 37.7       37         7.5 to 8.3       6       37.8 to 38.7       38         8.4 to 9.3       7       38.8 to 39.6       39         9.4 to 10.2       8       39.7 to 40.6       40         10.3 to 11.2       9       40.7 to 41.5       41         11.3 to 12.1       10       41.6 to 42.5       42         12.2 to 13.1       11       42.6 to 43.4       43         13.2 to 14.0       12       43.5 to 44.4       44         14.1 to 15.0       13       44.5 to 45.3       45         15.1 to 15.9       14       45.4 to 46.3       46         16.0 to 16.9       15       46.4 to 47.2       47         17.0 to 17.8       16       47.3 to 48.2       48         17.9 to 18.8       17       48.3 to 49.1       49         18.9 to 19.7       18       49.2 to 50.1       50         19.8 to 20.7       19		•		
3.7 to 4.5     2     34.0 to 34.9     34       4.6 to 5.5     3     35.0 to 35.8     35       5.6 to 6.4     4     35.9 to 36.8     36       6.5 to 7.4     5     36.9 to 37.7     37       7.5 to 8.3     6     37.8 to 38.7     38       8.4 to 9.3     7     38.8 to 39.6     39       9.4 to 10.2     8     39.7 to 40.6     40       10.3 to 11.2     9     40.7 to 41.5     41       11.3 to 12.1     10     41.6 to 42.5     42       12.2 to 13.1     11     42.6 to 43.4     43       13.2 to 14.0     12     43.5 to 44.4     44       14.1 to 15.0     13     44.5 to 45.3     45       15.1 to 15.9     14     45.4 to 46.3     46       16.0 to 16.9     15     46.4 to 47.2     47       17.0 to 17.8     16     47.3 to 48.2     48       17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54				
4.6 to 5.5       3       35.0 to 35.8       35         5.6 to 6.4       4       35.9 to 36.8       36         6.5 to 7.4       5       36.9 to 37.7       37         7.5 to 8.3       6       37.8 to 38.7       38         8.4 to 9.3       7       38.8 to 39.6       39         9.4 to 10.2       8       39.7 to 40.6       40         10.3 to 11.2       9       40.7 to 41.5       41         11.3 to 12.1       10       41.6 to 42.5       42         12.2 to 13.1       11       42.6 to 43.4       43         13.2 to 14.0       12       43.5 to 44.4       44         14.1 to 15.0       13       44.5 to 45.3       45         15.1 to 15.9       14       45.4 to 46.3       46         16.0 to 16.9       15       46.4 to 47.2       47         17.0 to 17.8       16       47.3 to 48.2       48         17.9 to 18.8       17       48.3 to 49.1       49         18.9 to 19.7       18       49.2 to 50.1       50         19.8 to 20.7       19       50.2 to 51.0       51         20.8 to 21.6       20       51.1 to 52.9       53         22.6 to 23.5       22				
5.6 to 6.4       4       35.9 to 36.8       36         6.5 to 7.4       5       36.9 to 37.7       37         7.5 to 8.3       6       37.8 to 38.7       38         8.4 to 9.3       7       38.8 to 39.6       39         9.4 to 10.2       8       39.7 to 40.6       40         10.3 to 11.2       9       40.7 to 41.5       41         11.3 to 12.1       10       41.6 to 42.5       42         12.2 to 13.1       11       42.6 to 43.4       43         13.2 to 14.0       12       43.5 to 44.4       44         14.1 to 15.0       13       44.5 to 45.3       45         15.1 to 15.9       14       45.4 to 46.3       46         16.0 to 16.9       15       46.4 to 47.2       47         17.0 to 17.8       16       47.3 to 48.2       48         17.9 to 18.8       17       48.3 to 49.1       49         18.9 to 19.7       18       49.2 to 50.1       50         19.8 to 20.7       19       50.2 to 51.0       51         20.8 to 21.6       20       51.1 to 52.9       53         22.6 to 23.5       22       53.0 to 53.9       54				_
6.5 to 7.4       5       36.9 to 37.7       37         7.5 to 8.3       6       37.8 to 38.7       38         8.4 to 9.3       7       38.8 to 39.6       39         9.4 to 10.2       8       39.7 to 40.6       40         10.3 to 11.2       9       40.7 to 41.5       41         11.3 to 12.1       10       41.6 to 42.5       42         12.2 to 13.1       11       42.6 to 43.4       43         13.2 to 14.0       12       43.5 to 44.4       44         14.1 to 15.0       13       44.5 to 45.3       45         15.1 to 15.9       14       45.4 to 46.3       46         16.0 to 16.9       15       46.4 to 47.2       47         17.0 to 17.8       16       47.3 to 48.2       48         17.9 to 18.8       17       48.3 to 49.1       49         18.9 to 19.7       18       49.2 to 50.1       50         19.8 to 20.7       19       50.2 to 51.0       51         20.8 to 21.6       20       51.1 to 52.9       53         22.6 to 23.5       22       53.0 to 53.9       54				
7.5 to 8.3     6     37.8 to 38.7     38       8.4 to 9.3     7     38.8 to 39.6     39       9.4 to 10.2     8     39.7 to 40.6     40       10.3 to 11.2     9     40.7 to 41.5     41       11.3 to 12.1     10     41.6 to 42.5     42       12.2 to 13.1     11     42.6 to 43.4     43       13.2 to 14.0     12     43.5 to 44.4     44       14.1 to 15.0     13     44.5 to 45.3     45       15.1 to 15.9     14     45.4 to 46.3     46       16.0 to 16.9     15     46.4 to 47.2     47       17.0 to 17.8     16     47.3 to 48.2     48       17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54		5		
8.4 to 9.3     7     38.8 to 39.6     39       9.4 to 10.2     8     39.7 to 40.6     40       10.3 to 11.2     9     40.7 to 41.5     41       11.3 to 12.1     10     41.6 to 42.5     42       12.2 to 13.1     11     42.6 to 43.4     43       13.2 to 14.0     12     43.5 to 44.4     44       14.1 to 15.0     13     44.5 to 45.3     45       15.1 to 15.9     14     45.4 to 46.3     46       16.0 to 16.9     15     46.4 to 47.2     47       17.0 to 17.8     16     47.3 to 48.2     48       17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54				
9.4 to 10.2     8     39.7 to 40.6     40       10.3 to 11.2     9     40.7 to 41.5     41       11.3 to 12.1     10     41.6 to 42.5     42       12.2 to 13.1     11     42.6 to 43.4     43       13.2 to 14.0     12     43.5 to 44.4     44       14.1 to 15.0     13     44.5 to 45.3     45       15.1 to 15.9     14     45.4 to 46.3     46       16.0 to 16.9     15     46.4 to 47.2     47       17.0 to 17.8     16     47.3 to 48.2     48       17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54				
10.3 to 11.2     9     40.7 to 41.5     41       11.3 to 12.1     10     41.6 to 42.5     42       12.2 to 13.1     11     42.6 to 43.4     43       13.2 to 14.0     12     43.5 to 44.4     44       14.1 to 15.0     13     44.5 to 45.3     45       15.1 to 15.9     14     45.4 to 46.3     46       16.0 to 16.9     15     46.4 to 47.2     47       17.0 to 17.8     16     47.3 to 48.2     48       17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54		8		
11.3 to 12.1     10     41.6 to 42.5     42       12.2 to 13.1     11     42.6 to 43.4     43       13.2 to 14.0     12     43.5 to 44.4     44       14.1 to 15.0     13     44.5 to 45.3     45       15.1 to 15.9     14     45.4 to 46.3     46       16.0 to 16.9     15     46.4 to 47.2     47       17.0 to 17.8     16     47.3 to 48.2     48       17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54		9		41
12.2 to 13.1     11     42.6 to 43.4     43       13.2 to 14.0     12     43.5 to 44.4     44       14.1 to 15.0     13     44.5 to 45.3     45       15.1 to 15.9     14     45.4 to 46.3     46       16.0 to 16.9     15     46.4 to 47.2     47       17.0 to 17.8     16     47.3 to 48.2     48       17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54		10		42
13.2 to 14.0     12     43.5 to 44.4     44       14.1 to 15.0     13     44.5 to 45.3     45       15.1 to 15.9     14     45.4 to 46.3     46       16.0 to 16.9     15     46.4 to 47.2     47       17.0 to 17.8     16     47.3 to 48.2     48       17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54		11		
15.1 to 15.9     14     45.4 to 46.3     46       16.0 to 16.9     15     46.4 to 47.2     47       17.0 to 17.8     16     47.3 to 48.2     48       17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54		12	43.5 to 44.4	44
15.1 to 15.9     14     45.4 to 46.3     46       16.0 to 16.9     15     46.4 to 47.2     47       17.0 to 17.8     16     47.3 to 48.2     48       17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54	14.1 to 15.0	13	44.5 to 45.3	45
17.0 to 17.8     16     47.3 to 48.2     48       17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54	15.1 to 15.9	14		
17.9 to 18.8     17     48.3 to 49.1     49       18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54	16.0 to 16.9	15	46.4 to 47.2	47
18.9 to 19.7     18     49.2 to 50.1     50       19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54	17.0 to 17.8	16	47.3 to 48.2	48
19.8 to 20.7     19     50.2 to 51.0     51       20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54	17.9 to 18.8	17	48.3 to 49.1	49
20.8 to 21.6     20     51.1 to 52.0     52       21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54	18.9 to 19.7	18	49.2 to 50.1	50
21.7 to 22.5     21     52.1 to 52.9     53       22.6 to 23.5     22     53.0 to 53.9     54	19.8 to 20.7	19	50.2 to 51.0	51
22.6 to 23.5 22 53.0 to 53.9 54	20.8 to 21.6	20	51.1 to 52.0	52
		21	52.1 to 52.9	53
23.6 to 24.4 23 54.0 to 54.0 55	22.6 to 23.5	22	53.0 to 53.9	54
	23.6 to 24.4	23	54.0 to 54.0	55







# COURSE HANDICAP CHARTS

#### SOUTHERN CALIFORNIA GOLF ASSOC

Blacklake Golf Resort - Lakes/Canyon

Men's - Gold

Course Rating™: 64.0 Slope Rating®: 106 - Par: 72

Handicap	Course	Handicap	Course
Index®	Handicap™	Index®	Handicap™
+5.0 to +4.8	+13	24.0 to 25.0	15
+4.7 to +3.8	+12	25.1 to 26.1	16
+3.7 to +2.7	+11	26.2 to 27.1	17
+2.6 to +1.6	+10	27.2 to 28.2	18
+1.5 to +0.6	+9	28.3 to 29.3	19
+0.5 to 0.5	+8	29.4 to 30.3	20
0.6 to 1.5	+7	30.4 to 31.4	21
1.6 to 2.6	+6	31.5 to 32.5	22
2.7 to 3.7	+5	32.6 to 33.5	23
3.8 to 4.7	+4	33.6 to 34.6	24
4.8 to 5.8	+3	34.7 to 35.7	25
5.9 to 6.9	+2	35.8 to 36.7	26
7.0 to 7.9	+1	36.8 to 37.8	27
8.0 to 9.0	0	37.9 to 38.9	28
9.1 to 10.1	1	39.0 to 39.9	29
10.2 to 11.1	2	40.0 to 41.0	30
11.2 to 12.2	3	41.1 to 42.1	31
12.3 to 13.3	4	42.2 to 43.1	32
13.4 to 14.3	5	43.2 to 44.2	33
14.4 to 15.4	6	44.3 to 45.3	34
15.5 to 16.5	7	45.4 to 46.3	35
16.6 to 17.5	8	46.4 to 47.4	36
17.6 to 18.6	9	47.5 to 48.5	37
18.7 to 19.7	10	48.6 to 49.5	38
19.8 to 20.7	11	49.6 to 50.6	39
20.8 to 21.8	12	50.7 to 51.7	40
21.9 to 22.9	13	51.8 to 52.7	41
23.0 to 23.9	14	52.8 to 53.8	42
		53.9 to 54.0	43



### **WORLD HANDICAP SYSTEM**



## COURSE HANDICAP CHARTS

#### SOUTHERN CALIFORNIA GOLF ASSOC

Blacklake Golf Resort - Lakes/Canyon



Women's - Black

Course Rating™: 76.9 Slope Rating®: 133 - Par: 72

	Slope Rating®	9: 133 - Par: 7	2
Handicap	Course	Handicap	Course
Index®	Handicap™	Index®	Handicap™
+5.0 to +4.6	+1	24.3 to 25.1	34
+4.5 to +3.8	0	25.2 to 25.9	35
+3.7 to +2.9	1	26.0 to 26.8	36
+2.8 to +2.1	2	26.9 to 27.6	37
+2.0 to +1.2	3	27.7 to 28.5	38
+1.1 to +0.4	4	28.6 to 29.3	39
+0.3 to 0.5	5	29.4 to 30.2	40
0.6 to 1.3	6	30.3 to 31.0	41
1.4 to 2.2	7	31.1 to 31.9	42
2.3 to 3.0	8	32.0 to 32.7	43
3.1 to 3.9	9	32.8 to 33.6	44
4.0 to 4.7	10	33.7 to 34.4	45
4.8 to 5.6	11	34.5 to 35.3	46
5.7 to 6.4	12	35.4 to 36.1	47
6.5 to 7.3	13	36.2 to 37.0	48
7.4 to 8.1	14	37.1 to 37.8	49
8.2 to 9.0	15	37.9 to 38.7	50
9.1 to 9.8	16	38.8 to 39.5	51
9.9 to 10.7	17	39.6 to 40.4	52
10.8 to 11.5	18	40.5 to 41.2	53
11.6 to 12.4	19	41.3 to 42.1	54
12.5 to 13.2	20	42.2 to 42.9	55
13.3 to 14.1	21	43.0 to 43.8	56
14.2 to 14.9	22	43.9 to 44.6	57
15.0 to 15.8	23	44.7 to 45.5	58
15.9 to 16.6	24	45.6 to 46.3	59
16.7 to 17.5	25	46.4 to 47.2	60
17.6 to 18.3	26	47.3 to 48.0	61
18.4 to 19.2	27	48.1 to 48.9	62
19.3 to 20.0	28	49.0 to 49.7	63
20.1 to 20.9	29	49.8 to 50.6	64
21.0 to 21.7	30	50.7 to 51.4	65
21.8 to 22.5	31	51.5 to 52.3	66
22.6 to 23.4	32	52.4 to 53.1	67
23.5 to 24.2	33	53.2 to 54.0	68

vvomen's - vvnite
Course Rating™: 74.8
Slope Rating®: 129 - Par: 72

	siope Raurige	7. 129 - Pal. 7	
Handicap	Course	Handicap	Course
Index®	Handicap™	Index®	Handicap™
+5.0 to +4.7	+3	24.3 to 25.1	31
+4.6 to +3.8	+2	25.2 to 26.0	32
+3.7 to +2.9	+1	26.1 to 26.8	33
+2.8 to +2.1	0	26.9 to 27.7	34
+2.0 to +1.2	1	27.8 to 28.6	35
+1.1 to +0.3	2	28.7 to 29.5	36
+0.2 to 0.6	3	29.6 to 30.3	37
0.7 to 1.4	4	30.4 to 31.2	38
1.5 to 2.3	5	31.3 to 32.1	39
2.4 to 3.2	6	32.2 to 33.0	40
3.3 to 4.1	7	33.1 to 33.8	41
4.2 to 4.9	8	33.9 to 34.7	42
5.0 to 5.8	9	34.8 to 35.6	43
5.9 to 6.7	10	35.7 to 36.5	44
6.8 to 7.6	11	36.6 to 37.4	45
7.7 to 8.4	12	37.5 to 38.2	46
8.5 to 9.3	13	38.3 to 39.1	47
9.4 to 10.2	14	39.2 to 40.0	48
10.3 to 11.1	15	40.1 to 40.9	49
11.2 to 12.0	16	41.0 to 41.7	50
12.1 to 12.8	17	41.8 to 42.6	51
12.9 to 13.7	18	42.7 to 43.5	52
13.8 to 14.6	19	43.6 to 44.4	53
14.7 to 15.5	20	44.5 to 45.2	54
15.6 to 16.3	21	45.3 to 46.1	55
16.4 to 17.2	22	46.2 to 47.0	56
17.3 to 18.1	23	47.1 to 47.9	57
18.2 to 19.0	24	48.0 to 48.7	58
19.1 to 19.8	25	48.8 to 49.6	59
19.9 to 20.7	26	49.7 to 50.5	60
20.8 to 21.6	27	50.6 to 51.4	61
21.7 to 22.5	28	51.5 to 52.2	62
22.6 to 23.3	29	52.3 to 53.1	63
23.4 to 24.2	30	53.2 to 54.0	64
	1		

Women's - Red
Course Rating™: 72.3
Slope Rating®: 124 - Par: 72

	siopo i tatinge		
Handicap	Course	Handicap	Course
Index®	Handicap™	Index®	Handicap™
+5.0 to +4.4	+5	24.8 to 25.6	28
+4.3 to +3.5	+4	25.7 to 26.6	29
+3.4 to +2.6	+3	26.7 to 27.5	30
+2.5 to +1.7	+2	27.6 to 28.4	31
+1.6 to +0.8	+1	28.5 to 29.3	32
+0.7 to 0.1	0	29.4 to 30.2	33
0.2 to 1.0	1	30.3 to 31.1	34
1.1 to 2.0	2	31.2 to 32.0	35
2.1 to 2.9	3	32.1 to 32.9	36
3.0 to 3.8	4	33.0 to 33.8	37
3.9 to 4.7	5	33.9 to 34.8	38
4.8 to 5.6	6	34.9 to 35.7	39
5.7 to 6.5	7	35.8 to 36.6	40
6.6 to 7.4	8	36.7 to 37.5	41
7.5 to 8.3	9	37.6 to 38.4	42
8.4 to 9.2	10	38.5 to 39.3	43
9.3 to 10.2	11	39.4 to 40.2	44
10.3 to 11.1	12	40.3 to 41.1	45
11.2 to 12.0	13	41.2 to 42.1	46
12.1 to 12.9	14	42.2 to 43.0	47
13.0 to 13.8	15	43.1 to 43.9	48
13.9 to 14.7	16	44.0 to 44.8	49
14.8 to 15.6	17	44.9 to 45.7	50
15.7 to 16.5	18	45.8 to 46.6	51
16.6 to 17.4	19	46.7 to 47.5	52
17.5 to 18.4	20	47.6 to 48.4	53
18.5 to 19.3	21	48.5 to 49.3	54
19.4 to 20.2	22	49.4 to 50.3	55
20.3 to 21.1	23	50.4 to 51.2	56
21.2 to 22.0	24	51.3 to 52.1	57
22.1 to 22.9	25	52.2 to 53.0	58
23.0 to 23.8	26	53.1 to 53.9	59
23.9 to 24.7	27	54.0 to 54.0	60
23.3 10 24.7	21	J+.U IU J4.U	00

Women's - Gold/Red
Course Rating™: 70.7
Slope Rating®: 119 - Par: 72

	nope maing	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	_
l land!	Course	I I a m all a a m	Causas
Handicap Index®	Course Handicap™	Handicap Index®	Course Handicap™
+5.0 to +5.0	+7	24.5 to 25.4	25
+4.9 to +4.0	+6	25.5 to 26.3	26
+3.9 to +3.1	+5	26.4 to 27.3	27
+3.0 to +2.1	+4	27.4 to 28.2	28
+2.0 to +1.2	+3	28.3 to 29.2	29
+1.1 to +0.2	+2	29.3 to 30.1	30
+0.1 to 0.7	+1	30.2 to 31.1	31
0.8 to 1.7	0	31.2 to 32.0	32
1.8 to 2.6	1	32.1 to 33.0	33
2.7 to 3.6	2	33.1 to 33.9	34
3.7 to 4.5	3	34.0 to 34.9	35
4.6 to 5.5	4	35.0 to 35.8	36
5.6 to 6.4	5	35.9 to 36.8	37
6.5 to 7.4	6	36.9 to 37.7	38
7.5 to 8.3	7	37.8 to 38.7	39
8.4 to 9.3	8	38.8 to 39.6	40
9.4 to 10.2	9	39.7 to 40.6	41
10.3 to 11.2	10	40.7 to 41.5	42
11.3 to 12.1	11	41.6 to 42.5	43
12.2 to 13.1	12	42.6 to 43.4	44
13.2 to 14.0	13	43.5 to 44.4	45
14.1 to 15.0	14	44.5 to 45.3	46
15.1 to 15.9	15	45.4 to 46.3	47
16.0 to 16.9	16	46.4 to 47.2	48
17.0 to 17.8	17	47.3 to 48.2	49
17.9 to 18.8	18	48.3 to 49.1	50
18.9 to 19.7	19	49.2 to 50.1	51
19.8 to 20.7	20	50.2 to 51.0	52
20.8 to 21.6	21	51.1 to 52.0	53
21.7 to 22.5	22	52.1 to 52.9	54
22.6 to 23.5	23	53.0 to 53.9	55
23.6 to 24.4	24	54.0 to 54.0	56







# COURSE HANDICAP CHARTS

SOUTHERN CALIFORNIA GOLF ASSOC

Blacklake Golf Resort - Lakes/Canyon

Women's - Gold

Course Rating™: 68.0 Slope Rating®: 113 - Par: 72

Handicap	Course	Handicap	Course
Index®	Handicap™	Index®	Handicap™
+5.0 to +4.6	+9	24.5 to 25.4	21
+4.5 to +3.6	+8	25.5 to 26.4	22
+3.5 to +2.6	+7	26.5 to 27.4	23
+2.5 to +1.6	+6	27.5 to 28.4	24
+1.5 to +0.6	+5	28.5 to 29.4	25
+0.5 to 0.4	+4	29.5 to 30.4	26
0.5 to 1.4	+3	30.5 to 31.4	27
1.5 to 2.4	+2	31.5 to 32.4	28
2.5 to 3.4	+1	32.5 to 33.4	29
3.5 to 4.4	0	33.5 to 34.4	30
4.5 to 5.4	1	34.5 to 35.4	31
5.5 to 6.4	2	35.5 to 36.4	32
6.5 to 7.4	3	36.5 to 37.4	33
7.5 to 8.4	4	37.5 to 38.4	34
8.5 to 9.4	5	38.5 to 39.4	35
9.5 to 10.4	6	39.5 to 40.4	36
10.5 to 11.4	7	40.5 to 41.4	37
11.5 to 12.4	8	41.5 to 42.4	38
12.5 to 13.4	9	42.5 to 43.4	39
13.5 to 14.4	10	43.5 to 44.4	40
14.5 to 15.4	11	44.5 to 45.4	41
15.5 to 16.4	12	45.5 to 46.4	42
16.5 to 17.4	13	46.5 to 47.4	43
17.5 to 18.4	14	47.5 to 48.4	44
18.5 to 19.4	15	48.5 to 49.4	45
19.5 to 20.4	16	49.5 to 50.4	46
20.5 to 21.4	17	50.5 to 51.4	47
21.5 to 22.4	18	51.5 to 52.4	48
22.5 to 23.4	19	52.5 to 53.4	49
23.5 to 24.4	20	53.5 to 54.0	50

